

①

Q.P Code 00023707

Q.1

a) Chomsky Hierarchy

- Type
- Languages
- Form of productions in grammar
- Accepting device.

b) Differentiate between DFA and NFA.

- Define DFA, NFA
- STF

c) Explain Recursive and Recursively enumerable Language.

d) Define RE. Strings accepting 2 consecutive 1's

$$(0+1)^* 11 (0+1)^*$$

Q.2
a) Ternary number divisible by 5

Q₂	0	1	2
q ₃	q ₀	q ₁	q ₂
q ₆	q ₀	q ₁	q ₂
q ₁	q ₃	q ₄	q ₀
q ₂	q ₁	q ₂	q ₃
q ₃	q ₄	q ₀	q ₁
q ₄	q ₂	q ₃	q ₄

(2)

Q. 2

b) Define pumping lemma for RL

$$L = \{a^n b^n \mid n \geq 1\}$$

$$L = \{a^1 b^1, a^2 b^2, a^3 b^3, \dots\}$$

Let us assume L is regular language.

Let $n=4$ and z is a word in L

s.t. $|z| \geq n$

$$z = a^3 b^3 = aaabb$$

we can rewrite z as uvw where

$$|uv| \leq n \text{ and } |v| \geq 1$$

$$u=a \quad v=aa \quad w=bbb \quad |uv|=3 \leq 4$$

$$|v|=2 \geq 1$$

$$uv^i w \quad i=0, 1, 2, 3, \dots$$

let $i=0$


$$uv^0 w = a(aa)^0 bbb$$

$$= abbb$$

$$= a^1 b^3 \notin L$$

we get contradiction. Hence L is not regular.

3

Q.3
a)

$$\delta(q_0, (, Z_0) = (q_0, (Z_0)$$

$$\delta(q_0, (, () = (q_0, (()$$

$$\delta(q_0,), () = (q_1, \epsilon)$$

$$\delta(q_1,), () = (q_1, \epsilon)$$

$$\delta(q_1, \epsilon, Z_0) = (q_2, Z_0)$$

b) CFG $S \rightarrow iCtS \mid iCtSeS \mid a$
 $C \rightarrow b$

For the string "ibtibtaea"

LMD


$S \rightarrow iCtS$	
$\Rightarrow ibtS$	$C \rightarrow b$
$\Rightarrow ibtiCtSeS$	$S \rightarrow iCtSeS$
$\Rightarrow ibtibtSeS$	$C \rightarrow b$
$\Rightarrow ibtibtaeS$	$S \rightarrow a$
$\Rightarrow ibtibtaea$	$S \rightarrow a$

RMD

$S \rightarrow iCtS$	
$\Rightarrow iCt iCtSeS$	$S \rightarrow iCtSeS$
$\Rightarrow iCt iCtSe a$	$S \rightarrow a$
$\Rightarrow iCt iCt a e a$	$S \rightarrow a$
$\Rightarrow iCtibtaea$	$C \rightarrow b$
$\Rightarrow ibtibtaea$	$C \rightarrow b$


Parse tree

(A)




Ambiguous

ParseTree1 : S



Parse Tree 2 :




Two parse tree exists for the same string
Hence given grammar is ambiguous.

(5)

Q.4

a) Turing machine that recognizes palindrom over $\Sigma = \{a, b\}$



b) GNF

$$S \rightarrow AB$$

$$A \rightarrow BSB \mid BB \mid b$$

$$B \rightarrow a$$

Relable the variables

S with A_1

~~$*$ with A_2~~

A with A_2

B with A_3

$$S \rightarrow AB \text{ becomes } A_1 \rightarrow A_2 A_3$$

$$A \rightarrow BSB \mid BB \mid b \quad A_2 \rightarrow A_3 A_1 A_3 \mid A_3 A_3 \mid \epsilon$$

$$B \rightarrow a$$


$$A_3 \rightarrow a$$

$S \rightarrow ABS/AB$
 $S \rightarrow BAS/BA$
 $S \rightarrow AA$

(6)

Since all are non-terminal / variable symbols on the right hand side. No string can be generated.

Q.5
a) Convert $(0+\epsilon)(10)^*(\epsilon+1)$ into ϵ -NFA and DFA




q.	$\delta(q, \epsilon)$	$\delta(q, 0)$	$\delta(q, 1)$	$\delta^*(q, 0)$	$\delta^*(q, 1)$
q_0	q_1, q_3	q_1	ϕ	q_1	q_2, q_3
q_1	q_3	ϕ	q_2, q_3	ϕ	q_2, q_3
q_2	ϕ	q_1	ϕ	q_1	ϕ
q_3	ϕ	ϕ	ϕ	ϕ	ϕ

NFA to DFA

	0	1
q_0	q_1	q_2, q_3
q_1	ϕ	q_2, q_3
q_2, q_3	q_1	ϕ

equivalent DFA is :



(7)

Q.5

b) PDA to accept $L = \{a^{n-1}b^{2n+1} \mid n \geq 1\}$

$$\delta(q_0, a, z_0) = (q_0, az_0)$$

$$\delta(q_0, a, a) = (q_0, aa)$$

$$\delta(q_0, b, z_0) = (q_1, z_0)$$

$$\delta(q_1, b, z_0) = (q_2, z_0)$$

$$\delta(q_2, b, z_0) = (q_3, z_0)$$

$$\delta(q_3, \epsilon, z_0) = (q_9, z_0)$$

$$\delta(q_0, b, a) = (q_4, a)$$

$$\delta(q_4, b, a) = (q_5, \epsilon)$$

$$\delta(q_5, b, a) = (q_4, a)$$

$$\delta(q_5, b, z_0) = (q_6, z_0)$$

$$\delta(q_6, b, z_0) = (q_7, z_0)$$

$$\delta(q_7, b, z_0) = (q_8, z_0)$$

$$\delta(q_8, \epsilon, z_0) = (q_9, z_0)$$